


COMMENT RECONSTRUIRE APRES DECOMPRESSION ANTERIEURE ?



JM VITAL

V POINTILLART, J SENEGAS

Spinal Unit , Tripode , Bordeaux , FRANCE



STATIC COMPRESSION



OSTEOPHYTIS

TRACTION


COMPRESSION



LIGAMENT HYPERTROPHY




POSTERIOR ARTICULAR






DYNAMIC COMPRESSION









HYPERMOBILITY





HYPERSIGNAL



TOPOGRAPHIC VALUE






INITIAL MARKING


PROCEDURE "A"




Decompression to one discal level



CLOWARD 1958




1972 SENEGAS





STABILIZING ANTERIOR PLATE






STENOSING HERNIATION









PROCEDURE "B"



One Subtotal Corpectomy



TITANIUM PLATE




**BI or TRICORTICAL
ILIAC CREST AUTOGRAFT**







PROCEDURE "C"




More than one Subtotal Corpectomy








INTERSOMATIC CAGE




P.E.E.K.




AUTOSTABLE







LOCAL GRAFT












BIOCAGE




POLYLACTIC ACID




RESIST to 180 dN



















+1 YEAR

COMPOSITE CARBON










DOUBLE APPROACH

2

1



DISCAL PROTHESIS



Is't necessary to maintain mobility ?

